

## 5.157 full\_group

	DESCRIPTION	LINKS	AUTOMATON
<b>Origin</b>	Inspired by <a href="#">group</a>		
<b>Constraint</b>	$\text{full\_group} \left( \begin{array}{l} \text{NGROUP,} \\ \text{MIN\_SIZE,} \\ \text{MAX\_SIZE,} \\ \text{MIN\_DIST,} \\ \text{MAX\_DIST,} \\ \text{NVAL,} \\ \text{VARIABLES,} \\ \text{VALUES} \end{array} \right)$		
<b>Synonym</b>	<a href="#">group_without_border.</a>		
<b>Arguments</b>	<pre> NGROUP      : dvar MIN_SIZE    : dvar MAX_SIZE    : dvar MIN_DIST    : dvar MAX_DIST    : dvar NVAL        : dvar VARIABLES   : collection(var-dvar) VALUES      : collection(val-int) </pre>		
<b>Restrictions</b>	<pre> NGROUP ≥ 0 MIN_SIZE ≥ 0 MAX_SIZE ≥ MIN_SIZE MIN_DIST ≥ 0 MAX_DIST ≥ MIN_DIST MAX_DIST ≤  VARIABLES  - 2 NVAL ≥ MAX_SIZE NVAL ≥ NGROUP NVAL ≤  VARIABLES  - 2 required(VARIABLES, var) required(VALUES, val) distinct(VALUES, val) </pre>		

**Purpose**

Let  $n$  be the number of variables of the collection VARIABLES. Let  $X_i, X_{i+1}, \dots, X_j$  ( $1 \leq i \leq j \leq n$ ) be consecutive variables of the collection of variables VARIABLES such that all the following conditions simultaneously apply:

- All variables  $X_i, \dots, X_j$  take their value in the set of values VALUES,
- $i = 1$  or  $X_{i-1}$  does not take a value in VALUES,
- $j = n$  or  $X_{j+1}$  does not take a value in VALUES.

We call such a sequence of variables a *group*. A *full group* is a group that neither starts at position 1 nor ends at position  $n$ . Similarly an *anti-full group* is a maximum sequence of variables that are not assigned any value from VALUES that neither starts at position 1 nor ends at position  $n$ .

The constraint `full_group` is true if all the following conditions hold:

- There are exactly NGROUP full groups of variables,
- MIN\_SIZE is the number of variables of the smallest full group,
- MAX\_SIZE is the number of variables of the largest full group,
- MIN\_DIST is the number of variables of the smallest anti-full group,
- MAX\_DIST is the number of variables of the largest anti-full group,
- NVAL is the number of variables that belong to a full group.

**Example**

(2, 2, 3, 1, 1, 5, (0, 1, 2, 6, 2, 7, 4, 8, 9), (0, 2, 4, 6, 8))

Given the fact that full groups are formed by even values in  $\{0, 2, 4, 6, 8\}$  (i.e., values expressed by the VALUES collection), the `full_group` constraint holds since:

- Its first argument, NGROUP, is set to value 2 since the sequence 0 1 2 6 2 7 4 8 9 contains two full groups of even values (i.e., group 2 6 2 and group 4 8). Note that the first 0 is not a full group since it is located at the first position of the sequence.
- Its second argument, MIN\_SIZE, is set to value 2 since the smallest full group of even values involves only two elements (i.e., the full group 4 8).
- Its third argument, MAX\_SIZE, is set to value 3 since the largest full group of even values involves three elements (i.e., the full group 2 6 2).
- Its fourth argument, MIN\_DIST, is set to value 1 since the smallest anti-full groups involve a single element (i.e., the anti-full groups 1 and 7).
- Its fifth argument, MAX\_DIST, is set to value 1 since the largest anti-full groups involve a single element (i.e., the anti-full groups 1 and 7).
- Its sixth argument, NVAL, is set to value 5 since the total number of even values part of a full group of the sequence 0 1 2 6 2 7 4 8 9 is equal to 5 (i.e., elements 2, 6, 2, 4 and 8).

**Typical**

```

NGROUP > 0
MIN_SIZE > 0
MAX_SIZE > MIN_SIZE
MIN_DIST > 0
MAX_DIST > MIN_DIST
MAX_DIST < |VARIABLES|
NVAL > MAX_SIZE
NVAL > NGROUP
NVAL < |VARIABLES|
|VARIABLES| > 1
range(VARIABLES.var) > 1
|VALUES| > 0
|VARIABLES| > |VALUES|

```

**Symmetries**

- Items of VARIABLES can be [reversed](#).
- Items of VALUES are [permutable](#).
- An occurrence of a value of VARIABLES.var that belongs to VALUES.val (resp. does not belong to VALUES.val) can be [replaced](#) by any other value in VALUES.val (resp. not in VALUES.val).

**Arg. properties**

- **Functional dependency:** NGROUP determined by VARIABLES and VALUES.
- **Functional dependency:** MIN\_SIZE determined by VARIABLES and VALUES.
- **Functional dependency:** MAX\_SIZE determined by VARIABLES and VALUES.
- **Functional dependency:** MIN\_DIST determined by VARIABLES and VALUES.
- **Functional dependency:** MAX\_DIST determined by VARIABLES and VALUES.
- **Functional dependency:** NVAL determined by VARIABLES and VALUES.

**See also**

**common keyword:** [group](#) (*timetabling constraint, sequence*).

**Keywords**

**characteristic of a constraint:** [automaton](#), [automaton with counters](#), [automaton with same input symbol](#).

**combinatorial object:** [sequence](#).

**constraint arguments:** [reverse of a constraint](#), [pure functional dependency](#).

**constraint network structure:** [alpha-acyclic constraint network\(2\)](#), [alpha-acyclic constraint network\(3\)](#).

**constraint type:** [timetabling constraint](#).

**filtering:** [glue matrix](#).

**modelling:** [functional dependency](#).

**Automaton**

Figures 5.337, 5.339, 5.341, 5.343, 5.345 and 5.347 depict the different automata associated with the full\_group constraint. For the automata that respectively compute NGROUP, MIN\_SIZE, MAX\_SIZE, MIN\_DIST, MAX\_DIST and NVAL we have a 0-1 signature variable  $S_i$  for each variable  $VAR_i$  of the collection VARIABLES. The following signature constraint links  $VAR_i$  and  $S_i$ :  $VAR_i \in VALUES \Leftrightarrow S_i$ .




Figure 5.337: Automaton for the NGROUP argument of the full\_group constraint and its glue matrix




Figure 5.338: Hypergraph of the reformulation corresponding to the automaton (with one counter) of the NGROUP argument of the full\_group constraint (since all states of the automaton are accepting there is no restriction on the last variable  $Q_n$ )




Figure 5.339: Automaton for the MIN\_SIZE argument of the full\_group constraint




Figure 5.340: Hypergraph of the reformulation corresponding to the automaton (with two counters) of the MIN\_SIZE argument of the full\_group constraint (since all states of the automaton are accepting there is no restriction on the last variable  $Q_n$ )




Figure 5.341: Automaton for the MAX\_SIZE argument of the full\_group constraint and its glue matrix




Figure 5.342: Hypergraph of the reformulation corresponding to the automaton (with two counters) of the MAX\_SIZE argument of the full\_group constraint (since all states of the automaton are accepting there is no restriction on the last variable  $Q_n$ )




Figure 5.343: Automaton for the MIN\_DIST argument of the full\_group constraint




Figure 5.344: Hypergraph of the reformulation corresponding to the automaton (with two counters) of the MIN\_DIST argument of the full\_group constraint (since all states of the automaton are accepting there is no restriction on the last variable  $Q_n$ )




Figure 5.345: Automaton for the MAX\_DIST argument of the full\_group constraint and its glue matrix





Figure 5.346: Hypergraph of the reformulation corresponding to the automaton (with two counters) of the MAX\_DIST argument of the full\_group constraint (since all states of the automaton are accepting there is no restriction on the last variable  $Q_n$ )





**Glue matrix** where  $\vec{C}$  and  $\overleftarrow{C}$  resp. represent the counter value  $C$  at the end of a prefix and at the end of the corresponding reverse suffix that partitions the sequence VARIABLES.

	$s (\in^*)$	$i (\notin^+)$	$j (\in^+)$
$s (\in^*)$	0	$\overleftarrow{C}$	$\overleftarrow{C}$
$i (\notin^+)$	$\vec{C}$	$\vec{C} + \overleftarrow{C}$	$\vec{C} + \overleftarrow{D} + \overleftarrow{C}$
$j (\in^+)$	$\vec{C}$	$\vec{C} + \overleftarrow{D} + \overleftarrow{C}$	$\vec{C} + \overleftarrow{D} + \overleftarrow{D} + \overleftarrow{C}$

Figure 5.347: Automaton for the NVAL argument of the full\_group constraint and its glue matrix




Figure 5.348: Hypergraph of the reformulation corresponding to the automaton (with two counters) of the NVAL argument of the full\_group constraint (since all states of the automaton are accepting there is no restriction on the last variable  $Q_n$ )

20121025

1223