

5.261 min_width_valley

	DESCRIPTION	LINKS	AUTOMATON
Origin	derived from valley		
Constraint	<code>min_width_valley(MIN_WIDTH, VARIABLES)</code>		
Synonym	<code>min_base_valley.</code>		
Arguments	MIN_WIDTH : <code>dvar</code> VARIABLES : <code>collection(var-dvar)</code>		
Restrictions	$MIN_WIDTH \geq 0$ $MIN_WIDTH \leq VARIABLES - 2$ required (VARIABLES, var)		
Purpose	<div style="border: 1px solid pink; padding: 5px;"> Given a sequence VARIABLES constraint MIN_WIDTH to be fixed to the width of the smallest valley, or to 0 if no valley exists. </div>		
Example	<div style="border: 1px solid blue; padding: 5px;"> $(5, \langle 3, 3, 5, 5, 4, 2, 2, 3, 4, 6, 6, 5, 5, 5, 5, 5, 6 \rangle)$ $(0, \langle 3, 8, 8, 5, 0, 0 \rangle)$ $(4, \langle 9, 8, 8, 0, 0, 2 \rangle)$ </div>		

The first `min_width_valley` constraint holds since the sequence 3 3 5 5 4 2 2 3 4 6 6 5 5 5 5 5 6 contains two valleys of respective width 5 and 6 (see Figure 5.550) and since its argument MIN_WIDTH is fixed to the smallest value 5.




Figure 5.550: Illustration of the first example of the **Example** slot: a sequence of eighteen variables $V_1, V_2, V_3, V_4, V_5, V_6, V_7, V_8, V_9, V_{10}, V_{11}, V_{12}, V_{13}, V_{14}, V_{15}, V_{16}, V_{17}, V_{18}$ respectively fixed to values 3, 3, 5, 5, 4, 2, 2, 3, 4, 6, 6, 5, 5, 5, 5, 5, 5, 6 and its two valleys of width 5 and 6.

Typical

MIN_WIDTH > 1
|VARIABLES| > 2

Symmetries

- Items of VARIABLES can be [reversed](#).
- One and the same constant can be [added](#) to the `var` attribute of all items of VARIABLES.


Arg. properties


[Functional dependency](#): MIN_WIDTH determined by VARIABLES.

Counting

Length (n)	2	3	4	5	6	7	8
Solutions	9	64	625	7776	117649	2097152	43046721



Number of solutions for `min_width_valley`: domains $0..n$





Length (n)		2	3	4	5	6	7	8
Total		9	64	625	7776	117649	2097152	43046721
Parameter value	0	9	50	295	1792	11088	69498	439791
	1	-	14	230	3205	56637	1174398	26327058
	2	-	-	100	2100	28420	424928	9363060
	3	-	-	-	679	17024	268722	3413256
	4	-	-	-	-	4480	130452	2345982
	5	-	-	-	-	-	29154	968946
	6	-	-	-	-	-	-	188628

Solution count for min_width_valley: domains 0.. n



See also [common keyword: valley \(sequence\)](#).

Keywords [characteristic of a constraint: automaton, automaton with counters](#).

combinatorial object: sequence.

constraint arguments: reverse of a constraint, pure functional dependency.

filtering: glue matrix.

modelling: functional dependency.

Automaton

Figure 5.551 depicts the automaton associated with the `min_width_valley` constraint. To each pair of consecutive variables (VAR_i, VAR_{i+1}) of the collection `VARIABLES` corresponds a signature variable S_i . The following signature constraint links VAR_i , VAR_{i+1} and S_i : $(VAR_i < VAR_{i+1} \Leftrightarrow S_i = 0) \wedge (VAR_i = VAR_{i+1} \Leftrightarrow S_i = 1) \wedge (VAR_i > VAR_{i+1} \Leftrightarrow S_i = 2)$.




Figure 5.551: Automaton of the `min_width_valley` constraint: the start of the first potential valley is discovered while triggering the transition from s to j , the bottom of a valley is discovered while triggering the transition from j to k , the end of a valley and the start of the next potential valley are discovered while triggering the transition from k to j ; the counters W , C and F respectively stand for `min_width`, `current` and `first`.

Glue matrix where $\vec{W}, \vec{C}, \vec{F}$ and $\overleftarrow{W}, \overleftarrow{C}, \overleftarrow{F}$ resp. represent the counters values W, C, F at the end of a prefix and at the end of the corresponding reverse suffix that partitions the sequence `VARIABLES`; $\overrightarrow{MIN_WIDTH}$ (resp. $\overleftarrow{MIN_WIDTH}$) stands for $\min(\vec{W}, \vec{C})$ (resp. $\min(\overleftarrow{W}, \overleftarrow{C})$).

	$s (\{< = \}^*)$	$j (\{> \{> = \}^*\})$	$k (\{< \{< = \}^*\})$
$s (\{< = \}^*)$	0	$\overleftarrow{MIN_WIDTH}$	$\overrightarrow{MIN_WIDTH}$
$j (\{> \{> = \}^*\})$	$\overleftarrow{MIN_WIDTH}$	$\min \left(\begin{array}{c} \vec{W}, \\ n - \vec{F} - \overleftarrow{F}, \\ \overleftarrow{W} \end{array} \right)$	$\min \left(\begin{array}{c} \overrightarrow{MIN_WIDTH}, \\ n - \vec{F} - \overleftarrow{F}, \\ \overleftarrow{MIN_WIDTH} \end{array} \right)$
$k (\{< \{< = \}^*\})$	$\overleftarrow{MIN_WIDTH}$	$\min \left(\begin{array}{c} \overrightarrow{MIN_WIDTH}, \\ n - \vec{F} - \overleftarrow{F}, \\ \overleftarrow{MIN_WIDTH} \end{array} \right)$	$\min \left(\begin{array}{c} \overrightarrow{MIN_WIDTH}, \\ \overleftarrow{MIN_WIDTH} \end{array} \right)$

Figure 5.552: Glue matrix associated with the automaton of the `min_width_valley` constraint, where n stands for $|\text{VARIABLES}|$




Figure 5.553: Illustrating the use of the state pair (j, j) of the glue matrix for linking MIN_WIDTH with the counters variables obtained after reading the prefix 6, 4, 3, 1 and corresponding suffix 1, 2, 5, 6 of the sequence 6, 4, 3, 1, 2, 5, 6; note that the suffix 1, 2, 5, 6 (in pink) is proceed in reverse order; the left (resp. right) table shows the initialisation (for $i = 0$) and the evolution (for $i > 0$) of the state of the automaton and its counters W , C and F upon reading the prefix 6, 4, 3, 1 (resp. the reverse suffix 6, 5, 2, 1).




Figure 5.554: Hypergraph of the reformulation corresponding to the automaton of the min_width_valley constraint

20121202

1721