

5.271 nclass

	DESCRIPTION	LINKS	GRAPH
Origin	Derived from <code>nvalue</code> .		
Constraint	<code>nclass(NCLASS, VARIABLES, PARTITIONS)</code>		
Type	VALUES : <code>collection(val-int)</code>		
Arguments	NCLASS : <code>dvar</code> VARIABLES : <code>collection(var-dvar)</code> PARTITIONS : <code>collection(p-VALUES)</code>		
Restrictions	<code> VALUES ≥ 1</code> <code>required(VALUES, val)</code> <code>distinct(VALUES, val)</code> <code>NCLASS ≥ 0</code> <code>NCLASS ≤ min(VARIABLES , PARTITIONS)</code> <code>NCLASS ≤ range(VARIABLES.var)</code> <code>required(VARIABLES, var)</code> <code>required(PARTITIONS, p)</code> <code> PARTITIONS ≥ 2</code>		
Purpose	Number of partitions of the collection PARTITIONS such that at least one value is assigned to at least one variable of the collection VARIABLES.		
Example	<code>(2, ⟨3, 2, 7, 2, 6⟩, ⟨p-⟨1, 3⟩, p-⟨4⟩, p-⟨2, 6⟩⟩)</code>		
	Note that the values of <code>⟨3, 2, 7, 2, 6⟩</code> occur within partitions <code>p-⟨1, 3⟩</code> and <code>p-⟨2, 6⟩</code> but not within <code>p-⟨4⟩</code> . Consequently, the <code>nclass</code> constraint holds since its first argument NCLASS is set to value 2.		
Typical	<code>NCLASS > 1</code> <code>NCLASS < VARIABLES </code> <code>NCLASS < range(VARIABLES.var)</code> <code> VARIABLES > PARTITIONS </code>		
Symmetries	<ul style="list-style-type: none"> Items of VARIABLES are <code>permutable</code>. Items of PARTITIONS are <code>permutable</code>. Items of PARTITIONS.p are <code>permutable</code>. An occurrence of a value of VARIABLES.var can be replaced by any other value that also belongs to the same partition of PARTITIONS. All occurrences of two distinct tuples of values in VARIABLES.var or PARTITIONS.p.val can be <code>swapped</code>; all occurrences of a tuple of values in VARIABLES.var or PARTITIONS.p.val can be <code>renamed</code> to any unused tuple of values. 		

Arg. properties

- **Functional dependency:** NCLASS determined by VARIABLES and PARTITIONS.
- **Extensible** wrt. VARIABLES when NCLASS = |PARTITIONS|.

Algorithm

[27, 40].

See also

related: `nequivalence`(variable \in partition replaced by variable mod constant), `ninterval`(variable \in partition replaced by variable/constant), `npair`(variable \in partition replaced by pair of variables).

specialisation: `nvalue`(variable \in partition replaced by variable).

used in graph description: `in_same_partition`.

Keywords

characteristic of a constraint: partition.

constraint arguments: pure functional dependency.

constraint type: counting constraint, value partitioning constraint.

final graph structure: strongly connected component, equivalence.

modelling: number of distinct equivalence classes, functional dependency.

Arc input(s)	VARIABLES
Arc generator	<i>CLIQUE</i> \mapsto <code>collection(variables1, variables2)</code>
Arc arity	2
Arc constraint(s)	<code>in_same_partition(variables1.var, variables2.var, PARTITIONS)</code>
Graph property(ies)	<u>NSCC</u> = NCLASS

Graph model

Parts (A) and (B) of Figure 5.573 respectively show the initial and final graph associated with the **Example** slot. Since we use the **NSCC** graph property we show the different strongly connected components of the final graph. Each strongly connected component corresponds to a class of values that was assigned to some variables of the **VARIABLES** collection. We effectively use two classes of values that respectively correspond to values $\{3\}$ and $\{2, 6\}$. Note that we do not consider value 7 since it does not belong to the different classes of values we gave: all corresponding arc constraints do not hold.




Figure 5.573: Initial and final graph of the **nclass** constraint

20000128

1767