

5.346 `sign_of`

	DESCRIPTION	LINKS
Origin	Arithmetic.	
Constraint	<code>sign_of(S, X)</code>	
Usual name	<code>sign</code>	
Arguments	<code>S</code> : <code>dvar</code> <code>X</code> : <code>dvar</code>	
Restrictions	$S \geq -1$ $S \leq 1$	
Purpose	<p>According to the value of the first variable <code>S</code>, restrict the sign of the second variable <code>X</code>:</p> <ul style="list-style-type: none"> • When $S = -1$, <code>X</code> should be negative (i.e., $X < 0$). • When $S = 0$, <code>X</code> is also equal to 0. • When $S = +1$, <code>X</code> should be positive (i.e., $X > 0$). 	
Example	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> $(-1, -8)$ $(0, 0)$ $(1, 8)$ </div> <ul style="list-style-type: none"> • The first <code>sign_of</code> constraint holds since $S = -1$ and $X = -8$ is negative. • The second <code>sign_of</code> constraint holds since $S = 0$ and $X = 0$ is neither negative, neither positive. • The second <code>sign_of</code> constraint holds since $S = +1$ and $X = 8$ is positive. 	
Typical	$S \neq 0$ $X \neq 0$	
Arg. properties	Functional dependency: <code>S</code> determined by <code>X</code> .	
See also	implies : same_sign , zero_or_not_zero .	
Keywords	constraint arguments : binary constraint, pure functional dependency. constraint type : predefined constraint, arithmetic constraint. filtering : arc-consistency. modelling : functional dependency.	

20110612

2067