

5.115 differ_from_at_least_k_pos

	DESCRIPTION	LINKS	GRAPH	AUTOMATON
Origin	Inspired by [177].			
Constraint	<code>differ_from_at_least_k_pos(K, VECTOR1, VECTOR2)</code>			
Type	VECTOR : <code>collection</code> (var-dvar)			
Arguments	K : <code>int</code> VECTOR1 : VECTOR VECTOR2 : VECTOR			
Restrictions	$ \text{VECTOR} \geq 1$ <code>required</code> (VECTOR, var) $K \geq 0$ $K \leq \text{VECTOR1} $ $ \text{VECTOR1} = \text{VECTOR2} $			
Purpose	Enforce two vectors VECTOR1 and VECTOR2 to differ from at least K positions.			
Example	<code>(2, <2, 5, 2, 0>, <3, 6, 2, 1>)</code>			
	The <code>differ_from_at_least_k_pos</code> constraint holds since the first and second vectors differ from 3 positions, which is greater than or equal to $K = 2$.			
Typical	$K > 0$ $K < \text{VECTOR1} $ $ \text{VECTOR1} > 1$			
Symmetries	<ul style="list-style-type: none"> Arguments are <code>permutable</code> w.r.t. permutation (K) (VECTOR1, VECTOR2). K can be <code>decreased</code> to any value ≥ 0. Items of VECTOR1 and VECTOR2 are <code>permutable</code> (<i>same permutation used</i>). 			
Arg. properties	<code>Extensible</code> wrt. VARIABLES1 and VARIABLES2 (<i>add items at same position</i>).			
Remark	Used in the Arc constraint(s) slot of the <code>all_differ_from_at_least_k_pos</code> constraint.			
Used in	<code>all_differ_from_at_least_k_pos</code> .			
See also	implied by: <code>differ_from_exactly_k_pos</code> ($\geq K$ replaced by $= K$). system of constraints: <code>all_differ_from_at_least_k_pos</code> .			
Keywords	characteristic of a constraint: vector, automaton, automaton with counters. constraint network structure: alpha-acyclic constraint network(2). constraint type: value constraint.			

Arc input(s)	VECTOR1 VECTOR2
Arc generator	$PRODUCT(=) \mapsto collection(vector1, vector2)$
Arc arity	2
Arc constraint(s)	$vector1.var \neq vector2.var$
Graph property(ies)	$NARC \geq K$

Graph model

Parts (A) and (B) of Figure 5.255 respectively show the initial and final graph associated with the **Example** slot. Since we use the **NARC** graph property, the arcs of the final graph are stressed in bold.




Figure 5.255: Initial and final graph of the `differ_from_at_least_k_pos` constraint

Automaton

Figure 5.256 depicts the automaton associated with the `differ_from_at_least_k_pos` constraint. Let VAR1_i and VAR2_i be the i^{th} variables of the `VECTOR1` and `VECTOR2` collections. To each pair of variables $(\text{VAR1}_i, \text{VAR2}_i)$ corresponds a signature variable S_i . The following signature constraint links VAR1_i , VAR2_i and S_i : $\text{VAR1}_i = \text{VAR2}_i \Leftrightarrow S_i$.




Figure 5.256: Automaton of the `differ_from_at_least_k_pos` constraint




Figure 5.257: Hypergraph of the reformulation corresponding to the automaton of the `differ_from_at_least_k_pos` constraint

20030820

1031