

5.344 set_value_precede

	DESCRIPTION	LINKS
Origin	[258]	
Constraint	set_value_precede(S, T, VARIABLES)	
Arguments	S : int T : int VARIABLES : collection(var-svar)	
Restrictions	S ≠ T required (VARIABLES, var)	
Purpose	<div style="border: 1px solid pink; padding: 5px;"> If there exists a set variable v_1 of VARIABLES such that S does not belong to v_1 and T does, then there also exists a set variable v_2 preceding v_1 such that S belongs to v_2 and T does not. </div>	
Example	<div style="border: 1px solid blue; padding: 5px;"> $(2, 1, \langle \text{var} - \{0, 2\}, \text{var} - \{0, 1\}, \text{var} - \emptyset, \text{var} - \{1\} \rangle)$ $(0, 1, \langle \text{var} - \{0, 2\}, \text{var} - \{0, 1\}, \text{var} - \emptyset, \text{var} - \{1\} \rangle)$ $(0, 2, \langle \text{var} - \{0, 2\}, \text{var} - \{0, 1\}, \text{var} - \emptyset, \text{var} - \{1\} \rangle)$ $(0, 4, \langle \text{var} - \{0, 2\}, \text{var} - \{0, 1\}, \text{var} - \emptyset, \text{var} - \{1\} \rangle)$ </div>	
	The following examples are taken from [257, page 58]:	
	<ul style="list-style-type: none"> • The <code>set_value_precede(2, 1, ⟨{0, 2}, {0, 1}, {}, {1}⟩)</code> constraint holds since the first occurrence of value 2 precedes the first occurrence of value 1 (i.e., the set {0, 2} occurs before the set {0, 1}). • The <code>set_value_precede(0, 1, ⟨{0, 2}, {0, 1}, {}, {1}⟩)</code> constraint holds since the first occurrence of value 0 precedes the first occurrence of value 1 (i.e., the set {0, 2} occurs before the set {0, 1}). • The <code>set_value_precede(0, 2, ⟨{0, 2}, {0, 1}, {}, {1}⟩)</code> constraint holds since “there is no set in ⟨{0, 2}, {0, 1}, {}, {1}⟩ that contains 2 but not 0”. • The <code>set_value_precede(0, 4, ⟨{0, 2}, {0, 1}, {}, {1}⟩)</code> constraint holds since no set in ⟨{0, 2}, {0, 1}, {}, {1}⟩ contains value 4. 	
Typical	S < T VARIABLES > 1	
Arg. properties	Suffix-contractible wrt. VARIABLES.	
Algorithm	A filtering algorithm for maintaining value precedence on a sequence of set variables is presented in [258]. Its complexity is linear to the number of variables of the collection VARIABLES.	
Systems	precede in Gecode .	

- See also** [specialisation: int_value_precede](#) (sequence of set variables replaced by sequence of domain variables).
- Keywords** [constraint arguments](#): constraint involving set variables.
[constraint type](#): order constraint.
[symmetry](#): symmetry, indistinguishable values, value precedence.